



Quality Engineering Test Report

MODEL : QP-375-5B 357 W

AC-DC QUAD OUTPUT SWITCHING POWER SUPPLY

V1 : +5 V/ 30 A V2 : +12 V/ 10 A

V3 : 12 V/ 6 A V4 : 5 V/ 3 A

(1) INPUT FUNCTION TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT	VERDICT
1	INPUT VOLTAGE RANGE	85 VAC~ 264 VAC (Typ)	I/P: TESTING O/P: FULL LOAD Ta: 25°C	60 V~ 264 V	P
			I/P: LOW-LINE-3V= 82 V HIGH-LINE+15%= 300 V O/P: FULL/MIN LOAD ON: 1 Sec. OFF: 5 Sec. 300 TIMES (AC POWER ON/OFF)	TEST: OK	
2	INPUT FREQUENCY RANGE	47 HZ ~ 63 HZ (Typ) NO DAMAGE OSC	I/P: 115 VAC ~ 264 VAC O/P: FULL-MIN LOAD Ta: 25°C	TEST: OK	P
3	INPUT CURRENT	230V/ 3 A(Max) 115V/ 6 A(Max)	I/P: 230 VAC O/P: FULL LOAD	I = 2.07 A/ 230 VAC I = 4.1 A/ 115 VAC	P
4	INRUSH CURRENT	230 V/ 45 A(Max) COLD START	I/P: 230 VAC O/P: FULL LOAD Ta: 25°C	I = 32 A/ 230 VAC	P
5	LINE REGULATION	V1: +0.5 %~ -0.5 % (Max) V2: +0.5 %~ -0.5 % (Max) V3: +0.5 %~ -0.5 % (Max) V4: +0.5 %~ -0.5 % (Max)	I/P: 264 VAC ~ 115 VAC O/P: FULL LOAD Ta: 25°C	V1: 0 %~ 0 % V2: 0 %~ 0 % V3: 0 %~ 0 % V4: 0 %~ 0 %	P
6	EFFICIENCY	77 % (Typ)	I/P: 230 VAC O/P: FULL LOAD Ta: 25°C	79.1 %	P
7	POWER FACTOR	230 V/ 0.95 (Typ) 115 V/ 0.98 (Typ)	I/P: 230 / 115 VAC O/P: FULL LOAD Ta: 25°C	PF = 0.96 / 230 VAC PF = 0.99 / 115 VAC	P

(2) OUTPUT FUNCTION TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT	VERDICT
1	SET UP TIME	230 VAC/ 800 ms (Max) ---- VAC/ ---- ms (Max)	I/P: 230 VAC O/P: FULL LOAD Ta: 25°C	230VAC/ 143 ms 115VAC/ 160 ms	P
2	RISE TIME	230VAC/ 50 ms (Max) ---- VAC/ ---- ms (Max)	I/P: 230 VAC O/P: FULL LOAD Ta: 25°C	230VAC/ 12.5 ms 115VAC/ 13.3 ms	P
3	HOLD UP TIME	230VAC/ 20 ms (Max) ---- VAC/ ---- ms (Max)	I/P: 230 VAC O/P: FULL LOAD Ta: 25°C	230VAC/ 30.2 ms 115VAC/ 30 ms	P
4	OVER/UNDERSHOOT TEST	< +5% (Max)	I/P: 230 VAC O/P: FULL LOAD Ta: 25°C	TEST: <5%	P
				V1: -12 %~ +16 %	

5	OUTPUT VOLTAGE ADJUST RANGE	CH1: $+10\% \sim -5\%$ (Typ) CH2: $+10\% \sim -5\%$ (Typ) CH3: $+10\% \sim -5\%$ (Typ) CH4: $----\% \sim ----\%$ (Typ)	I/P: 230 / ---- VAC O/P: MIN LOAD Ta: 25°C	V2: $-15\% \sim +15\%$ V3: $-13\% \sim +16\%$ V4: $----\% \sim ----\%$	P
			I/P: 85 VAC O/P: FULL LOAD (AC Turn ON/OFF in Vout Hi/Low Limit)	NO Damage	P
6	LOAD REGULATION	V1: $+0.8\% \sim -0.8\%$ (Max) V2: $+0.8\% \sim -0.8\%$ (Max) V3: $+0.8\% \sim -0.8\%$ (Max) V4: $+0.8\% \sim -0.8\%$ (Max)	I/P: 230 VAC O/P: FULL -MIN LOAD Ta: 25°C	V1: $+0.3\% \sim -0.3\%$ V2: $+0.05\% \sim -0.05\%$ V3: $+0.1\% \sim -0.1\%$ V4: $+0.5\% \sim -0.5\%$	P
7	OUTPUT VOLTAGE TOLERANCE	V1: $+1\% \sim -1\%$ (Max) V2: $+1\% \sim -1\%$ (Max) V3: $+1\% \sim -1\%$ (Max) V4: $+1\% \sim -1\%$ (Max)	I/P: 230 VAC ~ 115 VAC O/P: FULL/ Min % LOAD Ta: 25°C	V1: $+0.6\% \sim -0.25\%$ V2: $+0.1\% \sim -0.05\%$ V3: $+0.25\% \sim -0.1\%$ V4: $+0.7\% \sim -0.5\%$	P
8	RIPPLE & NOISE	V1: 100 mVp-p (Typ) V2: 120 mVp-p (Typ) V3: 120 mVp-p (Typ) V4: 50 mVp-p (Typ)	I/P: 230 VAC O/P: FULL LOAD Ta: 25°C	V1: 19 mVp-p V2: 13 mVp-p V3: 12 mVp-p V4: 8 mVp-p	P
9	DYNAMIC LOAD	CH1: 1000 mVp-p	I/P: 230 VAC O/P: FULL / Min LOAD 90% DUTY/1KHZ Ta: 25°C	293 mVp-p	P
10	TRANSIENT RECOVERY TIME	CH1: 1000 mVp-p	I/P: 230 VAC O/P: 40% LOAD CHANGE 50% DUTY/120HZ 1.25A/us Ta: 25°C	+ 129 mVp-p	P

(3) PROTECTION FUNCTION TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT	VERDICT
1	OVER VOLTAGE PROTECTION	CH1: 5.75 V ~ 6.75 V (Typ)	I/P: 230 / 115 VAC O/P: MIN LOAD Ta: 25°C	6.6 V / 230 VAC 6.6 V / 115 VAC Shunt down -Repower ON	P
2	OVER LOAD PROTECTION	105% ~ 135% (Typ)	I/P: 230/115 VAC O/P: TESTING Ta: 25°C	118% / 230 VAC 116% / 115 VAC * Pulse by pulse	P
3	SHORT PROTECTION	SHORT EVERY OUTPUT 1 HOUR NO DAMAGE	I/P: 264 VAC O/P: 100% LOAD Ta: 25°C	NO DAMAGE * Pulse by pulse	P
		SPEC: Ta		83 °C / 230 VAC	

4	OVER TEMPERATURE PROTECTION	<u>80 °C</u> _O.T.P. NO DAMAGE	I/P: <u>230</u> _VAC O/P:FULL LOAD	O.T.P. Active *_ Shunt down -Repower ON	P
---	-----------------------------	-----------------------------------	---------------------------------------	---	---

(4) CONTROL FUNCTION TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT	VERDICT
1	REMOTE SENSE	> <u>0.25</u> V	I/P: <u>230</u> VAC O/P:FULL LOAD Ta:25°C	<u>0.35</u> V	P
2	REMOTE CONTROL	<u>0 V~ 0.8V</u> POWER ON <u>4 V~ 10 V</u> POWER OFF	I/P: <u>230</u> VAC O/P:FULL LOAD Ta:25°C	< <u>2.6</u> V POWER ON > <u>2.6</u> V POWER OFF	P
3	POWER GOOD SIGNAL	DELAY 10ms ~ 500ms	I/P: <u>230/115</u> VAC O/P:FULL LOAD Ta:25°C	<u>82</u> ms/ <u>230</u> VAC <u>76</u> ms/ <u>115</u> VAC	P
4	POWER FAIL SIGNAL	> 1ms	I/P: <u>230/115</u> VAC O/P:FULL LOAD Ta:25°C	<u>21</u> ms/ <u>230</u> VAC <u>21</u> ms/ <u>115</u> VAC	P

(5) SAFETY TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT	VERDICT
1	WITHSTAND VOLTAGE	I/P-O/P: <u>3</u> KVAC/min I/P-FG: <u>1.5</u> KVAC/min O/P-FG: <u>5</u> KVAC/min	I/P-O/P: <u>3.6</u> KVAC/min I/P-FG: <u>1.8</u> KVAC/min O/P-FG: <u>0.6</u> KVAC/min Ta:25°C	I/P-O/P: <u>9.8</u> mA I/P-FG: <u>8.4</u> mA O/P-FG: <u>8.1</u> mA NO DAMAGE	P
2	ISOLATION RESISTANCE	I/P-O/P:500VDC >100M ohms I/P-FG:500VDC >100M ohms O/P-FG:500VDC >100M ohms	I/P-O/P: <u>500</u> VDC I/P-FG: <u>500</u> VDC O/P-FG: <u>500</u> VDC Ta:25°C	I/P-O/P: <u>1.3G</u> ohms I/P-FG: <u>1.6G</u> ohms O/P-FG: <u>1.2G</u> ohms NO DAMAGE	P
3	LEAKAGE CURRENT	< <u>2</u> mA /240VAC	I/P:(240VAC)*1.06/ (60HZ) O/P:Min LOAD Ta:25°C	L-FG: <u>1.6</u> mA N-FG: <u>1.58</u> mA	P
4	GROUNDING CONTINUITY	FG(PE) TO CHASSIS OR TRACE < <u>100</u> .m ohms	<u>25</u> A / 2min Ta:25°C	<u>18</u> .m ohms	P
5	APPROVAL	TUV:Certificate NO:R50014021 UL:File No:E183223			

(6) E.M.C TEST

NO	TEST ITEM	TEST CONDITION	SPECIFICATION	RESULT	VERDICT
1	HARMONIC	IEC61000-3-2 *_CLASS A	I/P: <u>230</u> VAC/50HZ O/P:FULL LOAD Ta:25°C	*_PASS	P
2	CONDUCTION	EN55022 *_CLASS A	I/P: <u>230</u> VAC (50HZ) O/P:FULL/50% LOAD Ta:25°C	*_PASS Under Test by certified Lab	P
3	RADIATION	EN55022 *_CLASS B	I/P: <u>230</u> VAC (50HZ) O/P:FULL/50% LOAD Ta:25°C	*_PASS Under Test by certified Lab	P
4	E.S.D	IEC61000-4-2 *_LIGHT INDUSTRY	I/P: <u>230</u> VAC/50HZ O/P:FULL LOAD	*_CRITERIA A	P

		AIR:8KV / Contac:4KV	Ta:25°C		
5	E.F.T	IEC61000-4-4 * LIGHT INDUSTRY INPUT:1KV	I/P:230VAC/50HZ O/P:FULL LOAD Ta:25°C	* CRITERIA A	P
6	SURGE	IEC61000-4-5 * INDUSTRY L-N:2KV L,N-PE:4KV	I/P:230VAC/50HZ O/P:FULL LOAD Ta:25°C	* CRITERIA A	P

7 Certificate By Interocean EMC Technology Corp Lab & Test Report Prepare

(7) ENVIRONMENT TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT	VERDICT																																																																																
1	TEMPERATURE RISE TEST T rise OF PARTS	MODEL:QP375-5A 1.ROOM AMBIENT BURN-IN: 2_HRS I/P: 230_VAC O/P: 100% LOAD Ta= 24.4 °C 2.HIGH AMBIENT BURN-IN: 16_HRS I/P: 230_VAC O/P: 100% LOAD Ta= 44.9 °C	<table border="1"> <thead> <tr> <th>NO</th> <th>Position</th> <th>P/N</th> <th>TEMP Ta= 24.4 °C</th> <th>TEMP Ta= 44.9 °C</th> </tr> </thead> <tbody> <tr><td>1</td><td>D1</td><td>SMD 3A/600V</td><td>31.3</td><td>48.7</td></tr> <tr><td>2</td><td>D60</td><td>1N5406 3A/600V</td><td>63.0</td><td>82.5</td></tr> <tr><td>3</td><td>BD1</td><td>KBJ608G 6A/800V</td><td>36.6</td><td>54.6</td></tr> <tr><td>4</td><td>L1</td><td>TR-288</td><td>35.7</td><td>53.3</td></tr> <tr><td>5</td><td>U2</td><td>ML 4800CP</td><td>28.1</td><td>45.9</td></tr> <tr><td>6</td><td>Q1</td><td>IRFP460 20A/500V</td><td>46.4</td><td>66.1</td></tr> <tr><td>7</td><td>Q2</td><td>IRFR460 15A/500V</td><td>44.0</td><td>64.4</td></tr> <tr><td>8</td><td>D3</td><td>RHRP1560 15A/600V</td><td>58.6</td><td>79.3</td></tr> <tr><td>9</td><td>Q5</td><td>2SK2652 6A/900V</td><td>53.2</td><td>74.1</td></tr> <tr><td>10</td><td>Q4</td><td>2SK2652 6A/900V</td><td>63</td><td>84.1</td></tr> <tr><td>11</td><td>TRC1</td><td>BTA16-600B/6A</td><td>45.7</td><td>64.2</td></tr> <tr><td>12</td><td>TSW1</td><td>S7-22 80°C</td><td>46.1</td><td>65.8</td></tr> <tr><td>13</td><td>C5</td><td>470u/400V 85°C</td><td>36.0</td><td>53.2</td></tr> <tr><td>14</td><td>T1core</td><td>TF826</td><td>56.3</td><td>74.9</td></tr> <tr><td>15</td><td>T1coil</td><td>TF826</td><td>68.8</td><td>88.3</td></tr> </tbody> </table>	NO	Position	P/N	TEMP Ta= 24.4 °C	TEMP Ta= 44.9 °C	1	D1	SMD 3A/600V	31.3	48.7	2	D60	1N5406 3A/600V	63.0	82.5	3	BD1	KBJ608G 6A/800V	36.6	54.6	4	L1	TR-288	35.7	53.3	5	U2	ML 4800CP	28.1	45.9	6	Q1	IRFP460 20A/500V	46.4	66.1	7	Q2	IRFR460 15A/500V	44.0	64.4	8	D3	RHRP1560 15A/600V	58.6	79.3	9	Q5	2SK2652 6A/900V	53.2	74.1	10	Q4	2SK2652 6A/900V	63	84.1	11	TRC1	BTA16-600B/6A	45.7	64.2	12	TSW1	S7-22 80°C	46.1	65.8	13	C5	470u/400V 85°C	36.0	53.2	14	T1core	TF826	56.3	74.9	15	T1coil	TF826	68.8	88.3		P
NO	Position	P/N	TEMP Ta= 24.4 °C	TEMP Ta= 44.9 °C																																																																																	
1	D1	SMD 3A/600V	31.3	48.7																																																																																	
2	D60	1N5406 3A/600V	63.0	82.5																																																																																	
3	BD1	KBJ608G 6A/800V	36.6	54.6																																																																																	
4	L1	TR-288	35.7	53.3																																																																																	
5	U2	ML 4800CP	28.1	45.9																																																																																	
6	Q1	IRFP460 20A/500V	46.4	66.1																																																																																	
7	Q2	IRFR460 15A/500V	44.0	64.4																																																																																	
8	D3	RHRP1560 15A/600V	58.6	79.3																																																																																	
9	Q5	2SK2652 6A/900V	53.2	74.1																																																																																	
10	Q4	2SK2652 6A/900V	63	84.1																																																																																	
11	TRC1	BTA16-600B/6A	45.7	64.2																																																																																	
12	TSW1	S7-22 80°C	46.1	65.8																																																																																	
13	C5	470u/400V 85°C	36.0	53.2																																																																																	
14	T1core	TF826	56.3	74.9																																																																																	
15	T1coil	TF826	68.8	88.3																																																																																	
2	OVER LOAD BURN-IN TEST	NO DAMAGE 1.5 HOUR (MIN)	I/P: 230_VAC O/P: 114_% Ta:25°C	TEST: <u>OK</u>	P																																																																																
3	LOW TEMPERATURE TURN ON TEST	TURN ON AFTER 2 HOUR	I/P: 230_VAC O/P: 100_%LOAD Ta= -11.5 °C	TEST: <u>OK</u>	P																																																																																
4	HIGH HUMIDITY HIGH TEMPERATURE HIGH VOLTAGE TURN ON TEST	AFTER 12 HOURS IN CHAMBER ON CONTROL 55°C NO DAMAGE	I/P: 272_VAC O/P:FULL LOAD Ta= 55 °C HUMIDITY= 95_%R.H	TEST: <u>OK</u>	P																																																																																
5	TEMPERATURE COEFFICIENT	± 0.03_%(0-50°C)	I/P: 230_VAC O/P:FULL LOAD	+ 0.01_%(0-50°C)	P																																																																																

(8) M.T.B.F & LIFE CYCLE CALCULATION

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT	VERDICT
1	CAPACITOR LIFE CYCLE	SUPPOSE C_111_ IS THE MOST CRITICAL COMPONENT I/P:230 VAC O/P:FULL LOAD Ta= 25 °C LIFE TIME= 224553_HRS I/P:230 VAC O/P:FULL LOAD Ta= 45 °C LIFE TIME= 61036_HRS			P
2	MTBF	MIL-HDBK-217F NOTICES2 PARTS COUNT TOTAL FAILURE RATE: 75931_HRS			P

(9) VIBRATION TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT	VERDICT
1	VIBRATION TEST	1 Carton & 1Set Operating at I/P:230VAC no load (1) Waveform: Sine Wave (2) Frequency:10~500Hz (3) Sweep Time:10min/sweep cycle (4) Acceleration:2G (5) Test Time:1 hour in each axis (X.Y.Z) Ta:25°C		TEST: ----	N/A

(10) COMPONENT STRESS TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT	VERDICT
1	Power Transistor (D to S) or (C to E) Peak Voltage	Q 5_Rated 2SK2850 : 900_V_6_A	I/P:High-Line +3V = 267 V O/P: (1)Full Load Turn on (2) Full Load (3)Output Short Ta:25°C	(1) 784_V (2) 824_V (3) 772_V	P
2	Diode Peak Voltage	D_102_Rated S30SC4M : 40_V_30_A	I/P:High-Line +3V = 267 V O/P: (1)Full Load Turn on (2) Full Load (3)Output Short Ta:25°C	(1) 16.1_V (2) 23.1_V (3) 24.2_V	P

DATE	SAMPLE	TEST RESULT	TEST	APPROVAL
2003/7/18	ENGINEERING SAMPLE	PASS	Vincent Tseng	Max Lin
2003/9/19	PRODUCTION SAMPLE A210A14	PASS	Vincent Tseng	Max Lin
2004/3/31	PRODUCTION SAMPLE A301B24	PASS	Vincent Tseng	Max Lin