

MODEL : RSP-1500-12

OUTPUT FUNCTION TEST

| NO | TEST ITEM | SPECICATION | TEST CONDITION | RESULT | VERDICT |
|----|-----------------------------|-------------------------|---|--|---------|
| 1 | RIPPLE & NOISE | V1: 150 mVp-p (Max) | I/P: 230VAC O/P:FULL LOAD Ta:25°C | V1: 33 mVp-p (Max) | P |
| 2 | OUTPUT VOLTAGE ADJUST RANGE | CH1: 10V~13.5 V | I/P: 230 VAC I/P: 115 VAC O/P:MIN LOAD Ta:25°C | 9.25 V~ 13.9 V/ 230 VAC 9.25 V~ 13.9 V/ 115 VAC | P |
| 3 | OUTPUT VOLTAGE TOLERANCE | V1: 1 %~ -1 % (Max) | I/P: 100 VAC / 264 VAC O/P:FULL/ MIN LOAD Ta:25°C | V1: 0.2 %~ -0.2 % | P |
| 4 | LINE REGULATION | V1: 0.5 %~ -0.5 % (Max) | I/P: 100 VAC ~ 264 VAC O/P:FULL LOAD Ta:25°C | V1: 0.05 %~ -0.05 % | P |
| 5 | LOAD REGULATION | V1: 0.5 %~ -0.5 % (Max) | I/P: 230 VAC O/P:FULL ~MIN LOAD Ta:25°C | V1: 0.1 %~ -0.1 % | P |
| 6 | SET UP TIME | 230VAC: 1500 ms (Max) | I/P: 230 VAC O/P:FULL LOAD Ta:25°C | 230VAC/ 698 ms | P |
| 7 | RISE TIME | 230VAC: 100 ms (Max) | I/P: 230 VAC O/P:FULL LOAD Ta:25°C | 230VAC/ 52 ms | P |
| 8 | HOLD UP TIME | 230VAC: 10 ms (TYP) | I/P: 230 VAC O/P:FULL LOAD Ta:25°C | 230VAC/ 12 ms | P |
| 9 | OVER/UNDERSHOOT TEST | < ±5% | I/P: 230 VAC O/P:FULL LOAD Ta:25°C | TEST: <5 % | P |
| 10 | DYNAMIC LOAD | V1: 1200 mVp-p | I/P: 230 VAC O/P:FULL /Min LOAD 90%DUTY/1KHZ Ta:25°C | 833 mVp-p | P |

INPUT FUNCTION TEST

| NO | TEST ITEM | SPECICATION | TEST CONDITION | RESULT | VERDICT |
|----|-----------------------|--|--|---|---------|
| 1 | INPUT VOLTAGE RANGE | 100VAC~264 VAC | I/P:TESTING O/P:FULL LOAD Ta:25°C | 89V~264V | P |
| | | | I/P: LOW-LINE-3V= 97 V HIGH-LINE+15%=300 V O/P:FULL/MIN LOAD ON: 30 Sec . OFF: 30 Sec 10MIN (AC POWER ON/OFF NO DAMAGE) | TEST: OK | |
| 2 | INPUT FREQUENCY RANGE | 47HZ ~63 HZ NO DAMAGE OSC | I/P: 90 VAC ~ 264 VAC O/P:FULL~MIN LOAD Ta:25°C | TEST: OK | P |
| 3 | POWER FACTOR | 0.95 / 230 VAC(TYP) 0.98 / 115 VAC(TYP) | I/P: 230 VAC I/P: 115 VAC O/P:FULL LOAD Ta:25°C | PF= 0.96 / 230 VAC PF= 0.99 / 115 VAC | P |
| 4 | EFFICIENCY | 87 % (TYP) | I/P: 230 VAC O/P:FULL LOAD Ta:25°C | 88% | P |
| 5 | INPUT CURRENT | 230V/ 8 A (TYP) 115V/ 17 A (TYP) | I/P: 230 VAC I/P: 115 VAC O/P:FULL LOAD Ta:25°C | I = 7.78 A/ 230 VAC I = 15.93 A/ 115 VAC | P |
| 6 | INRUSH CURRENT | 230V/ 60 A (TYP) 115V/ 30 A (TYP) COLD START | I/P: 230 VAC I/P: 115 VAC O/P:FULL LOAD Ta:25°C | I = 53 A/ 230 VAC I = 26 A/ 115 VAC | P |
| 7 | LEAKAGE CURRENT | < 2 mA / 240 VAC | I/P: 254 VAC O/P:Min LOAD Ta:25°C | L-FG: 0.8 mA N-FG: 0.8 mA | P |

PROTECTION FUNCTION TEST

| NO | TEST ITEM | SPECICATION | TEST CONDITION | RESULT | VERDICT |
|----|-----------------------------|--|---|--|---------|
| 1 | OVER LOAD PROTECTION | 105%~ 135 % | I/P: 230 VAC I/P: 115 VAC O/P:TESTING Ta:25°C | 120 %/ 230 VAC 120 %/ 115 VAC Constant Current Limiting unit will shut down o/p voltage after 5sec Re-power on to recover | P |
| 2 | OVER VOLTAGE PROTECTION | CH1: 13.8 V~ 16.8 V | I/P: 230 VAC I/P: 115 VAC O/P:MIN LOAD Ta:25°C | 15.9 V/ 230 VAC 15.9 V/ 115 VAC Shunt down Re- power ON | P |
| 3 | OVER TEMPERATURE PROTECTION | SPEC: TSW2 : 95 ± 5°C O.T.P. NO DAMAGE | I/P: 264 VAC O/P:FULL LOAD | O.T.P. Active Shut down o/p voltage , recovers automatically after temperature goes down | P |
| 4 | SHORT PROTECTION | SHORT EVERY OUTPUT 1 HOUR NO DAMAGE | I/P: 264 VAC O/P:FULL LOAD Ta:25°C | NO DAMAGE Constant Current Limiting unit will shut down o/p voltage after 5sec Re-power on to recover | P |

CONTROL FUNCTION TEST

| NO | TEST ITEM | SPECICATION | TEST CONDITION | RESULT | VERDICT | | | | | | | | | | | | | | |
|-------------------|--|--|--|--|-------------------|---|-----------|--|--|--|-----------------|---------|----------|--------------------|-------------------|----------------|----------|---------|---|
| 1 | AUXILIARY POWER (AUX) | 12V @ 0.1A (Only for Remote ON/OFF control) | I/P: 230 VAC O/P:0.1A LOAD Ta:25°C | 12.47V | P | | | | | | | | | | | | | | |
| 2 | REMOTE CONTROL | Table1.1 Fig1.2(a)(b)(c) Specification of Remote ON/OFF | I/P: 230 VAC O/P:FULL LOAD Ta:25°C | <table border="1"> <thead> <tr> <th colspan="2">Connection Method</th> <th>Fig1.2(a)</th> <th>Fig1.2(b)</th> <th>Fig1.2(c)</th> </tr> </thead> <tbody> <tr> <td rowspan="2">SW Logic</td> <td>Output on</td> <td>SW Open</td> <td>SW Open</td> <td>SW Close</td> </tr> <tr> <td>Output off</td> <td>SW Close</td> <td>SW Close</td> <td>SW Open</td> </tr> </tbody> </table> | Connection Method | | Fig1.2(a) | Fig1.2(b) | Fig1.2(c) | SW Logic | Output on | SW Open | SW Open | SW Close | Output off | SW Close | SW Close | SW Open | P |
| Connection Method | | Fig1.2(a) | Fig1.2(b) | Fig1.2(c) | | | | | | | | | | | | | | | |
| SW Logic | Output on | SW Open | SW Open | SW Close | | | | | | | | | | | | | | | |
| | Output off | SW Close | SW Close | SW Open | | | | | | | | | | | | | | | |
| 3 | ALARM SIGNAL OUTPUT | Table2.1 Explanation of alarm <table border="1"> <thead> <tr> <th>Pin</th> <th>POK Alarm</th> </tr> </thead> <tbody> <tr> <td>P OK</td> <td>The signal is "LOW"when ther power supply is above 65%of the rated output voltage</td> </tr> <tr> <td>P OK GND</td> <td>The signal turns to be "HIGH" when ther power supply is under 65%of the rated output voltage</td> </tr> </tbody> </table> | Pin | POK Alarm | P OK | The signal is "LOW"when ther power supply is above 65%of the rated output voltage | P OK GND | The signal turns to be "HIGH" when ther power supply is under 65%of the rated output voltage | I/P: 230 VAC O/P:FULL LOAD Ta:25°C | <table border="1"> <thead> <tr> <th colspan="2">Output of alarm</th> </tr> </thead> <tbody> <tr> <td>Good:Low</td> <td>(0.5V max at 10mA)</td> </tr> <tr> <td>Fail:High or open</td> <td>(50V 10mA max)</td> </tr> </tbody> </table> | Output of alarm | | Good:Low | (0.5V max at 10mA) | Fail:High or open | (50V 10mA max) | P | | |
| Pin | POK Alarm | | | | | | | | | | | | | | | | | | |
| P OK | The signal is "LOW"when ther power supply is above 65%of the rated output voltage | | | | | | | | | | | | | | | | | | |
| P OK GND | The signal turns to be "HIGH" when ther power supply is under 65%of the rated output voltage | | | | | | | | | | | | | | | | | | |
| Output of alarm | | | | | | | | | | | | | | | | | | | |
| Good:Low | (0.5V max at 10mA) | | | | | | | | | | | | | | | | | | |
| Fail:High or open | (50V 10mA max) | | | | | | | | | | | | | | | | | | |
| 4 | OUTPUT VOLTAGE PROGRAMMABLE(PV) | Adjustment of output voltage is possible between 75~100% of the rated output by following | I/P: 230 VAC O/P:NOL LOAD Ta:25°C | 70%~100% | P | | | | | | | | | | | | | | |
| 5 | CURRENT SHARING | PSU1-PSU2 < 10% | I/P: 230 VAC O/P:FULL/50% LOAD Ta:25°C | O/P:100% PSU1: 1776 W PSU2: 1736 W O/P:50% PSU1: 889 W PSU2: 853 W | P | | | | | | | | | | | | | | |
| 6 | REMOTE SENSE | >0.3V | I/P: 230 VAC O/P:FULL LOAD Ta:25°C | > 0.3 V | P | | | | | | | | | | | | | | |

ENVIRONMENT TEST

| NO | TEST ITEM | SPECIFICATION | TEST CONDITION | RESULT | VERDICT |
|----|---|--|---|------------------|---------|
| 1 | TEMPERATURE RISE TEST | MODEL : RSP-1500-24 1. ROOM AMBIENT BURN-IN : 2HRS I/P: 230VAC O/P: FULL LOAD Ta= 29 °C 2. HIGH AMBIENT BURN-IN : 3 HRS I/P: 230VAC O/P: FULL LOAD Ta= 51.4 °C | | | P |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| 2 | OVER LOAD BURN-IN TEST | NO DAMAGE 1 HOUR (MIN) | I/P: 230 VAC O/P: 119 % LOAD Ta:25°C | TEST : OK | P |
| 3 | LOW TEMPERATURE TURN ON TEST | TURN ON AFTER 2 HOUR | I/P: 230 VAC O/P: 100% LOAD Ta= -20°C | TEST : OK | P |
| 4 | HIGH HUMIDITY HIGH TEMPERATURE HIGH VOLTAGE TURN ON TEST | AFTER 12 HOURS IN CHAMBER ON CONTROL 50 °C NO DAMAGE | I/P: 272 VAC O/P:FULL LOAD Ta= 50 °C HUMIDITY= 95 %R.H | TEST : OK | P |
| 5 | TEMPERATURE COEFFICIENT | ± 0.05 %(0~50°C) | I/P: 230 VAC O/P:FULL LOAD | ± 0.01 %(0~50°C) | P |
| 6 | VIBRATION TEST | 1 Carton & 1 Set (1) Waveform: Sine Wave (2) Frequency:10~500Hz (3) Sweep Time:10min/sweep cycle (4) Acceleration:2G (5) Test Time:1 hour in each axis (X.Y.Z) (6) Ta:25°C | | TEST : OK | P |

SAFETY TEST

| NO | TEST ITEM | SPECICATION | TEST CONDITION | RESULT | VERDICT |
|----|----------------------|---|--|--|---------|
| 1 | WITHSTAND VOLTAGE | I/P-O/P: 3 KVAC/min I/P-FG: 1.5 KVAC/min O/P-FG: 0.5 KVAC/min | I/P-O/P: 3.6 KVAC/min I/P-FG: 1.8 KVAC/min O/P-FG: 0.6 KVAC/min Ta:25°C | I/P-O/P: 10.01 mA I/P-FG: 8.25 mA O/P-FG: 15.5 mA NO DAMAGE | P |
| 2 | ISOLATION RESISTANCE | I/P-O/P:500VDC>100MΩ I/P-FG: 500VDC>100MΩ O/P-FG:500VDC>100MΩ | I/P-O/P: 500 VDC I/P-FG: 500 VDC O/P-FG: 500 VDC Ta:25°C | I/P-O/P: 1 GΩ I/P-FG: 1 GΩ O/P-FG: 2 GΩ NO DAMAGE | P |
| 3 | GROUNDING CONTINUITY | FG(PE) TO CHASSIS OR TRACE < 100 mΩ | 40 A / 2min Ta:25°C | 9 mΩ | P |
| 4 | APPROVAL | TUV: Certificate NO : R50063850 UL: File NO : E183223 | | | P |

E.M.C TEST

| NO | TEST ITEM | SPECICATION | TEST CONDITION | RESULT | VERDICT |
|----|---|--|---|-------------------------------|---------|
| 1 | HARMONIC | EN61000-3-2,-3 CLASS A | I/P: 230 VAC/50HZ O/P:FULL LOAD Ta:25°C | PASS | P |
| 2 | CONDUCTION | EN55022 CLASS B | I/P: 230 VAC (50HZ) O/P:FULL/50% LOAD Ta:25°C | PASS Test by certified Lab | P |
| 3 | RADIATION | EN55022 CLASS B | I/P: 230 VAC (50HZ) O/P:FULL LOAD Ta:25°C | PASS Test by certified Lab | P |
| 4 | E.S.D | EN61000-4-2 LIGHT INDUSTRY AIR:8KV / Contact:4KV | I/P: 230 VAC/50HZ O/P:FULL LOAD Ta:25°C | CRITERIA A | P |
| 5 | E.F.T | EN61000-4-4 LIGHT INDUSTRY INPUT: 1KV | I/P: 230 VAC/50HZ O/P:FULL LOAD Ta:25°C | CRITERIA A | P |
| 6 | SURGE | IEC61000-4-5 LIGHT INDUSTRY L-N :1KV L,N-PE:2KV | I/P: 230 VAC/50HZ O/P:FULL LOAD Ta:25°C | CRITERIA A | P |
| 7 | Test by certified Lab & Test Report Prepare | | | | |

M.T.B.F & LIFE CYCLE CALCULATION

| NO | TEST ITEM | SPECICATION | TEST CONDITION | RESULT | VERDICT |
|----|-----------------------------|---|----------------|--------|---------|
| 1 | CAPACITOR LIFE CYCLE | RSP-1500-12 : SUPPOSE C 114 IS THE MOST CRITICAL COMPONENT I/P: 230VAC O/P:FULL LOAD Ta= 25 °C LIFE TIME= 810447 HRS I/P: 230VAC O/P:FULL LOAD Ta=45 °C LIFE TIME= 294588 HRS | | | P |
| 2 | MTBF | Conducted by Parts Stress Analysis Prediction 313.1K hrs min. Telcordia SR-332 (Bellcore) ; 116.75K hrs min. MIL-HDBK-217F (25°C) | | | P |
| 3 | DMTBF/Accelerated Life Test | Demonstration Mean Time Between Failure : Above 50,000 hours @ TA 50°C | | | P |



COMPONENT STRESS TEST

| NO | TEST ITEM | SPECICATION | TEST CONDITION | RESULT | VERDICT |
|----|---|------------------------------------|--|--|---------|
| 1 | Power Transistor (D to S) or (C to E) Peak Voltage | Q900 Rated FQA24N50 : 500V 24 A | I/P:High-Line +3V = 267 V O/P: (1)Full Load Turn on (2) Full Load (3)Output Short Ta:25°C | (1) 394 V (2) 394 V (3) 394 V | P |
| 2 | Diode Peak Voltage | D102 Rated S60SC6M : 60V 60A | I/P:High-Line +3V = 267 V O/P: (1)Full Load Turn on (2) Full Load (3)Output Short Ta:25°C | (1) 46 V (2) 43 V (3) 48 V | P |
| 3 | Input Capacitor Voltage | C15 Rated : 150 u / 450V/ 105°C | I/P:High-Line +3V = 267 V O/P: (1)Full Load Turn on /Off (2) Min load Turn on /Off (3)Full Load /Min load Change (4)Burn in 1hour Ta:25°C | (1) 444 V (2) 442 V (3) 406 V (4) 392 V | P |
| 4 | Control IC Voltage Test | U100 Rated UCC2895W : 18 V | I/P:High-Line +3V = 267 V O/P: (1)Full Load Turn on /Off (2) Min load Turn on /Off (3)Full Load /Min load Change Ta:25°C | (1) 12.9 V (2) 12.6 V (3) 12.6 V | P |
| 5 | PFC Power Transistor (D to S) or (C to E) Peak Voltage | Q1 Rated 20N60C3 : 600V 20 A | I/P:High-Line +3V = 267 V O/P: (1)Full Load Turn on (2) Full Load (3)Output Short Ta:25°C | (1) 406 V (2) 436 V (3) 406 V | P |

| DATE | SAMPLE | TEST RESULT | TESTER | APPROVAL |
|------------|----------------------------|-------------|---------------|----------|
| 2005/4/19 | RD SAMPLE | PASS | VINCENT TSENG | MAX LIN |
| 2005/7/29 | PRODUCT SAMPLE W0505A40 | PASS | VINCENT TSENG | MAX LIN |
| 2005/9/3 | PRODUCT SAMPLE W0507C27 | PASS | VINCENT TSENG | MAX LIN |
| 2005/9/8 | PRODUCT SAMPLE W0508B50 | PASS | VINCENT TSENG | MAX LIN |
| 2005/11/21 | PRODUCT SAMPLE W0511A35 | PASS | VINCENT TSENG | MAX LIN |

2003/12/12 A50-F023