

MODEL : QP-375-24B

OUTPUT FUNCTION TEST

NO	TEST ITEM	SPECICATION	TEST CONDITION	RESULT	VERDICT
1	RIPPLE & NOISE	V1: 240 mVp-p (Max) V2: 50 mVp-p (Max) V3: 120 mVp-p (Max) V4: 120 mVp-p (Max)	I/P: 230 VAC O/P:FULL LOAD Ta:25°C	V1: 20 mVp-p (Max) V2: 14 mVp-p (Max) V3: 2 mVp-p (Max) V4: 6 mVp-p (Max)	P
2	OUTPUT VOLTAGE ADJUST RANGE	CH1: 21.6 V- 26.4V CH2: 4.5V- 5.5V CH3: 10.8V- 13.2V CH4: 10.8V- 13.2V	I/P: 230 VAC I/P: 115 VAC O/P:MIN LOAD Ta:25°C	CH1:20.72V~27.76V CH2: 4.42V- 6.22V CH3: 10.57V~ 14.06V CH4: 10.12V~ 14.41V	P
3	OUTPUT VOLTAGE TOLERANCE	V1: -1%~ +1 % (Max) V2: -1%~ +1 % (Max) V3: -1%~ +1 % (Max) V4: -1%~ +1 % (Max)	I/P: 115 VAC / 264 VAC O/P:FULL/ MIN LOAD Ta:25°C	V1: 0.1 %~ -0.1% V2: 0.15 %~ -0.15% V3: 0.1 %~ -0.1% V4: 0.4 %~ -0.4%	P
4	LINE REGULATION	V1: -0.5 %~+0.5 % (Max) V2: -0.5 %~+0.5 % (Max) V3: -0.5 %~+0.5 % (Max) V4: -0.5 %~+0.5 % (Max)	I/P: 115 VAC ~264 VAC O/P:FULL LOAD Ta:25°C	V1: 0 %~ 0 % V2: 0 %~ 0 % V3: 0 %~ 0 % V4: 0 %~ 0 %	P
5	LOAD REGULATION	V1:-0.8 %~ +0.8% (Max) V2: -0.8 %~ +0.8% (Max) V3: -0.8 %~ +0.8% (Max) V4: -0.8 %~ +0.8% (Max)	I/P: 230 VAC O/P:FULL ~MIN LOAD Ta:25°C	V1: 0.1 %~ -0.1 % V2: 0 %~ -0.15 % V3: 0.05 %~ -0.1 % V4: 0.4 %~ -0.4 %	P
6	CROSS REGULATION	V1:-0.8 %~ +0.8% (Max) V2: -0.8 %~ +0.8% (Max) V3: -0.8 %~ +0.8% (Max) V4: -0.8 %~ +0.8% (Max)	I/P: 230VAC O/P: Testing O/P 60%LOAD Other O/P 40%LOAD Change Ta:25°C	V1: 0.1 %~ 0 % V2: 0.15 %~ -0.15 % V3: 0.05 %~ -0.05 % V4: 0.06 %~ -0.06 %	P
7	SET UP TIME	230VAC / 800ms (Max) 115VAC / 800ms (Max)	I/P:230 VAC I/P:115 VAC O/P:FULL LOAD Ta:25°C	230VAC/ 217.41ms 115VAC/279.233ms	P
8	RISE TIME	230VAC/ 50ms (Max) 115VAC/ 50 ms (Max)	I/P:230 VAC I/P:115 VAC O/P:FULL LOAD Ta:25°C	230VAC/ 38.286ms 115VAC/ 34.161ms	P
9	HOLD UP TIME	230 VAC/ 20ms (TYP) 115 VAC/ 20 ms (TYP)	I/P:230 VAC I/P:115 VAC O/P:FULL LOAD Ta:25°C	230VAC/43.158ms 115VAC/42.819ms	P
10	OVER/UNDERSHOOT TEST	< ±5%	I/P: 230 VAC O/P:FULL LOAD Ta:25°C	TEST: < ±5%	P
11	DYNAMIC LOAD	V1: 2400 mVp-p	I/P: 230 VAC O/P:FULL /Min LOAD 90%DUTY/1KHZ Ta:25°C	322 mVp-p	P

## INPUT FUNCTION TEST

NO	TEST ITEM	SPECICATION	TEST CONDITION	RESULT	VERDICT
1	INPUT VOLTAGE RANGE	85VAC~264VAC	I/P:TESTING O/P:FULL LOAD Ta:25°C	65 V~ 264 V	P
			I/P: LOW-LINE-3V= 82 V HIGH-LINE+15%= 300 V O/P:FULL/MIN LOAD ON: 30 Sec . OFF: 30 Sec 10MIN ( AC POWER ON/OFF NO DAMAGE )	TEST: OK	
2	INPUT FREQUENCY RANGE	47HZ ~ 63HZ NO DAMAGE OSC	I/P: 264 VAC ~ 115 VAC O/P:FULL-MIN LOAD Ta:25°C	TEST: OK	P
3	POWER FACTOR	0.95/ 230VAC(TYP) 0.98/ 115VAC(TYP)	I/P:230 VAC I/P:115 VAC O/P:FULL LOAD Ta:25°C	PF= 0.96 / 230 VAC PF= 0.99 / 115 VAC	P
4	EFFICIENCY	78 % (TYP)	I/P: 230 VAC O/P:FULL LOAD Ta:25°C	82.5 %	P
5	INPUT CURRENT	230V/ 3 A (TYP) 115V/ 6 A(TYP)	I/P:230 VAC I/P:115 VAC O/P:FULL LOAD Ta:25°C	I = 2.12 A/ 230 VAC I = 4.31 A/ 115 VAC	P
6	INRUSH CURRENT	230V/ 45 A(TYP)  COLD START	I/P:230 VAC I/P:115 VAC O/P:FULL LOAD Ta:25°C	I = 32 A/ 230 VAC	P
7	LEAKAGE CURRENT	< 2 mA / 240 VAC	I/P: 230 VAC O/P:Min LOAD Ta:25°C	L-FG: 1.2 mA N-FG: 1.2 mA	P

### PROTECTION FUNCTION TEST

NO	TEST ITEM	SPECICATION	TEST CONDITION	RESULT	VERDICT
1	OVER LOAD PROTECTION	105%~ 135 %	I/P:230 VAC I/P:115 VAC O/P:TESTING Ta:25°C	112 %/ 230 VAC 112 %/ 115 VAC Hiccup Mode	P
2	OVER VOLTAGE PROTECTION	CH1: 27.6V~ 32.4V	I/P:230 VAC I/P:115 VAC O/P:MIN LOAD Ta:25°C	31.4V/ 230 VAC 31.4V/ 115 VAC Shunt down Re- power ON	P
3	OVER TEMPERATURE PROTECTION	SPEC: TSW1 80± 5 °C O.T.P. NO DAMAGE	I/P: 230 VAC O/P:FULL LOAD	O.T.P.Active Shunt down o/p voltage recovers automatically after temperature goes down	P
4	SHORT PROTECTION	SHORT EVERY OUTPUT 1 HOUR NO DAMAGE	I/P: 264 VAC O/P: 100% LOAD Ta:25°C	NO DAMAGE Hiccup Mode	P

### CONTROL FUNCTION TEST

NO	TEST ITEM	SPECICATION	TEST CONDITION	RESULT	VERDICT
1	REMOTE CONTROL	Rc+ / Rc- 0 V~ 0.8 V POWER ON 4 V~ 10 V POWER OFF	I/P: 230 VAC O/P:FULL LOAD Ta:25°C	0 V ~ 2.4 V POWER ON 2.45 V ~ 10 V POWER OFF	P
2	POWER GOOD SIGNAL	DELAY 10ms ~ 500ms	I/P:230 VAC I/P:115 VAC O/P:FULL LOAD Ta:25°C	32.6 ms/ 230VAC 32.2 ms/ 115VAC	P
3	POWER FAIL SIGNAL	> 1ms	I/P:230 VAC I/P:115 VAC O/P:FULL LOAD Ta:25°C	11.5 ms/ 230 VAC 11.1 ms/ 115 VAC	P

## ENVIRONMENT TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT	VERDICT
1	TEMPERATURE RISE TEST	MODEL : QP-375-24B 1. ROOM AMBIENT BURN-IN : 2 HRS I/P: 230 VAC O/P: FULL LOAD Ta= 27.5 °C 2. HIGH AMBIENT BURN-IN : 4 HRS I/P: 230VAC O/P: FULL LOAD Ta= 49.3 °C			P
2	OVER LOAD BURN-IN TEST	NO DAMAGE 1 HOUR ( MIN )	I/P: 230 VAC O/P: 121 % LOAD Ta:25°C	TEST : OK	P
3	LOW TEMPERATURE TURN ON TEST	TURN ON AFTER 2 HOUR	I/P: 230 VAC O/P: 100 % LOAD Ta= -9.5 °C	TEST : OK	P
4	HIGH HUMIDITY HIGH TEMPERATURE HIGH VOLTAGE TURN ON TEST	AFTER 12 HOURS IN CHAMBER ON CONTROL 50 °C NO DAMAGE	I/P: 272 VAC O/P:FULL LOAD Ta= 50 °C HUMIDITY= 95 %R.H	TEST : OK	P
5	TEMPERATURE COEFFICIENT	± 0.03 %(0-50°C)	I/P: 230 VAC O/P:FULL LOAD	± 0.01 %(0-50°C)	P
6	VIBRATION TEST	1 Carton & 1 Set Operating at I/P: 230 VAC NO LOAD (1) Waveform: Sine Wave (2) Frequency:10-500Hz (3) Sweep Time:10min/sweep cycle (4) Acceleration:2G (5) Test Time:1 hour in each axis (X.Y.Z) (6) Ta:25°C		TEST : OK	P

### SAFETY TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT	VERDICT
1	WITHSTAND VOLTAGE	I/P-O/P: 3 KVAC/min I/P-FG: 1.5 KVAC/min O/P-FG:0.5 KVAC/min	I/P-O/P: 3.6 KVAC/min I/P-FG: 1.8 KVAC/min O/P-FG: 0.6 KVAC/min Ta:25°C	I/P-O/P: 9.51 mA I/P-FG: 8.2 mA O/P-FG: 8.64 mA NO DAMAGE	P
2	ISOLATION RESISTANCE	I/P-O/P:500VDC>100MΩ I/P-FG: 500VDC>100MΩ O/P-FG:500VDC>100MΩ	I/P-O/P: 500 VDC I/P-FG: 500 VDC O/P-FG: 500 VDC Ta:25°C	I/P-O/P: 1.17G Ω I/P-FG: 1.13G Ω O/P-FG: 1.21G Ω NO DAMAGE	P
3	GROUNDING CONTINUITY	FG(PE) TO CHASSIS OR TRACE < 100 mΩ	30 A / 2min Ta:25°C	42 mΩ	P
4	APPROVAL	TUV: Certificate NO : R 50014021 UL: File NO : E183223			P

### E.M.C TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT	VERDICT
1	HARMONIC	EN61000-3-2 CLASS D	I/P: 230 VAC/50HZ O/P:FULL LOAD Ta:25°C	PASS	P
2	CONDUCTION	EN55022 CLASS B	I/P: 230 VAC (50HZ) O/P:FULL/50% LOAD Ta:25°C	PASS Test by certified Lab	P
3	RADIATION	EN55022 CLASS B	I/P: 230 VAC (50HZ) O/P:FULL LOAD Ta:25°C	PASS Test by certified Lab	P
4	E.S.D	EN61000-4-2 LIGHT INDUSTRY AIR:8KV / Contact:4KV	I/P: 230 VAC/50HZ O/P:FULL LOAD Ta:25°C	CRITERIA A	P
5	E.F.T	EN61000-4-4 INDUSTRY INPUT: 2KV	I/P: 230 VAC/50HZ O/P:FULL LOAD Ta:25°C	CRITERIA A	P
6	SURGE	IEC61000-4-5 L,N-PE:2KV INDUSTRY L-N :2KV L,N-PE:4KV	I/P: 230 VAC/50HZ O/P:FULL LOAD Ta:25°C	CRITERIA A	P
7	Test by certified Lab & Test Report Prepare				



M.T.B.F & LIFE CYCLE CALCULATION

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT	VERDICT
1	CAPACITOR LIFE CYCLE	SUPPOSE C111 IS THE MOST CRITICAL COMPONENT I/P: 230 VAC O/P:FULL LOAD Ta= 25 °C LIFE TIME= 336294 HRS I/P: 230 VAC O/P:FULL LOAD Ta= 50 °C LIFE TIME= 58201 HRS			P
2	MTBF	MIL-HDBK-217F NOTICES2 PARTS COUNT TOTAL FAILURE RATE: 75.9K HRS			P

DATE	SAMPLE	TEST RESULT	TESTER	APPROVAL
2002/07/15	RD SAMPLE	PASS	VINCENT TSENG	MAX LIN
2002/11/02	PRODUCT SAMPLE A210A14	PASS	VINCENT TSENG	MAX LIN

2003/7/14 A50-F023